Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	161	(choos$5 select$5) near5 (name adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:33
L2	8	(choos$5 select$5) near5 (name adj value) same (singular nea3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:33
L3	11	(choos$5 select$5) near5 (name adj value) same (master nea3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:35
L4	0	(choos$5 select$5) near5 (name adj value) same (master near3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:35
L5	0	(choos$5 select$5) near5 (name adj value) and (master near3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:36
L6	1423	(master near3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:46
L7	67	"709"/$.ccls. and (template) same (name adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:47
L8	5	"709"/$.ccls. and (template) same (name adj value) same (XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:49
L9	6	"709"/$.ccls. and (convert$5) near5 (select$5) near5 (portion) near4 (service data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:52
L10	14	"709"/$.ccls. and (convert$5) near5 (select$5) near6 (service data) same (XML HTML WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:53
S1	2	"6589291".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 10:57

S2	2	"6477549".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:30
S3	1	(09/146717) and (sugiarto)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:30
S4	15708	Markup adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:58
S5	17861	(Markup Mark adj up)adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 12:32
S6	11056	((Markup Mark adj up)adj language) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:27
S7	3	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:35
S8	110	((provid$4 creat$4 generat$4)near10 ((universal master) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 12:45
S9	87	(((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:49
S10	281	(((Markup Mark adj up)adj language) and @ad<"20010822") and 709/310-332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:28
S11	0	((((Markup Mark adj up)adj language) and @ad<"20010822") and 709/310-332.ccls.) and ((provid$4 creat$4 generat$4)near10 ((universal master global) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:29
S12	0	((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822")and (label and (tag adj nam$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:30
S13	0	((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822")and (tag adj nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:44
S14	9	((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))) and @ad<"20010822")and (tag label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:31

S15	800	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global subtemplate service) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:39
S16	799	((((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global subtemplate service) and template))) and (label$4 tagname$4 XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S17	799	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global service) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:44
S18	300	(((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S19	31210	L9and (XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S20	300	((((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template))) and (XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S21	6	((((Markup Mark adj up)adj language) and @ad<"20010822") and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template))) and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:56
S22	10982	((Markup Mark adj up)adj language) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 14:54
S23	13	(((Markup Mark adj up)adj language) and @ad<"20010822") and (service adj templat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:33
S24	2	"5491820".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:35
S25	2	"5530852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:37
S26	2	"5572643".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39
S27	2	"5793972".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39

S54	0	(master adj template) and ((similar identicle group) same device same WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:59
S55	0	(master adj template) and ((similar identicle group) same device same WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:00
S56	748	(master adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:34
S57	0	S56 and ((devic$5) near10 (using requiring need$5) near10 (similar identicle) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S58	0	S56 and ((devic$5) near10 (using requiring need$5) near10 (similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S59	0	S56 and ((devic$5) near10 (similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S60	0	S56 and ((similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S61	18	S56 and (markup adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:40
S62	2	"5665130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:40
S63	2	"5655130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:41
S64	2	"5911776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:42

S65	2	"5915259".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:04
S66	2	"5119465".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:06
S67	2	"5845299".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:06
S68	2	"6275829".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:07
S69	2	"6097389".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:14
S70	2	"5987480".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:49
S71	0	(master adj template) near10 (wireless near5 devic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:26
S72	0	(master adj template) near10 (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S73	748	(master adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S74	0	S73 and ((devic$5) near10 (using requiring need$5) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S75	2	"6708189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:27

S76	2	"6408360".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:27
S77	2	"6272492".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:29
S78	2	"6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:31
S79	2	"6571246".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:32
S80	0	(2004/0030697) and (cochran)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:32
S81	2	"6651217".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:33
S82	1	(master adj template) and XML and HTML and WML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:40
S83	16	(master adj template) and XML and HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:35
S84	13	(master adj template) and XML and (PDA cell phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:43
S85	2	"6658418".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:44
S86	0	(master near3 template) near10 (device near3 type) near10 (plurality multiple several) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:54

S87	1	(master near3 template) near10 (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:55
S88	0	(master near3 template) near10 ((plurality multiple several) near5 device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:55
S89	26	((Markup Mark adj up)adj language) and ((provid$4 creat$4 generat$4)near10 ((universal master global) and template)) and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:05
S90	112	(transform$5) near5 (data (markup adj language)) and template and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:14
S91	106	(transform$5) near5 (data (markup adj language)) and template and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:14
S92	107	(transform$5) near5 (data (markup adj language)) and templat$5 and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:26
S93	0	(transform$5) near5 (data (markup adj language)) and ((sub master) adj templates) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:28
S94	0	(transform$5) near5 (data (markup adj language)) and ((master) adj templates) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:27
S95	0	(transform$5) near5 (data (markup adj language)) and ((sub master) adj templat$5) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:28
S96	106	(transform$5) near5 (data (markup adj language)) and (template templates) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 17:05
S97	8	(transform$5) near5 (data (markup adj language)) and (template templates) and (XML and HTML and WML) and (devic$5) and (master)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 17:11
S98	0	(generat$5 creat$5 produc$5) near5 (template) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S99	0	(template) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:29

S10 0	20001	"715"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:29
S10 1	0	S100 and (((((provid$4 creat$4 generat$4)near10 ((universal master) adj template))))and (label and (tag adj nam$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:30
S10 2	0	S100 and ((transform$5) near5 (data (markup adj language)) and ((sub master) adj templates)) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:31
S10 3	31	S100 and (transform$5 near5 (data (markup adj language))) and (templat$5) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:22
S10 4	0	S100 and (transform$5 near5 (data (markup adj language))) and (master) near4 (style adj sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:54
S10 5	0	S100 and (transform$5 near5 (data (markup adj language))) and (unique) adj (templat$5) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:22
S10 6	0	S100 and (transform$5 near5 (data (markup adj language))) and (master) near4 (XSL) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:42
S10 7	2	S100 and (transform$5 near5 (data (markup adj language))) and (master general main) near4 (style near4 sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:00
S10 8	2	S100 and (transform$5 near5 (data (markup adj language))) and (master general main one-to-many) near4 (style near4 sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:01
S10 9	0	S100 and (transform$5 near5 (data (markup adj language))) and (one-to-many few-to-many) near4 (style near4 sheet) and (XML and HTML and WML) and (devic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:09
S11 0	59	(hillis) and (hong, stephens.xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:12
S11 1	481	(hillis et al) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:36
S11 2	0	(hillis near3 et near3 al) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29

S11 3	0	(hillis) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:22
S11 4	62	(Master) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:22
S11 5	470	(hillis near3 et near3 al)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:32
S11 6	1	"5590283".PN.	USPAT; USOCR	OR	OFF	2004/12/16 10:30
S11 7	1	"4709327".PN.	USPAT; USOCR	OR	OFF	2004/12/16 10:32
S11 8	1	(hillis near3 et near3 al) and ("715"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:13
S11 9	0	(hilis near3 et near3 al) and ("715"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:40
S12 0	0	(hillis near3 et near3 al) and (715/501.1,513,517.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:37
S12 1	3	(general master main) near5 (style near3 (template sheet)) and (device adj type) and XML and HTML and WML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:43
S12 2	4	(general master main) near5 ((template sheet)) and (device adj type) and XML and HTML and WML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 14:08
S12 3	1	(09/932656) and (Fitzsimons)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 14:08
S12 4	0	(common) near4 ((style adj sheet) template) near5 (RF cell wireless) near5 (device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:15
S12 5	1444	(common) near4 ((style adj sheet) template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:15
S12 6	0	(common) near4 ((style adj sheet) template) near (group) near5 (devid$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:16

S12 7	0	(common) near4 ((style adj sheet) template) near5 (group) near5 (devid$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:16
S12 8	0	(common) near4 ((style adj sheet) template) near (group) near5 (devic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S12 9	0	(common) near4 ((style adj sheet) template) near5 (group) near5 (devic$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S13 0	0	(common) near4 ((style adj sheet) template) near5 (similar) near5 (devic$5 browser display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S13 1	152	(common) near4 ((style adj sheet) template) and (similar) near5 (devic$5 browser display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S13 2	3	((provid$4 creat$4 generat$4)near10 (service adj template)) and (tag adj nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:47
S13 3	0	((provid$4 creat$4 generat$4)near10 (individual adj template)) and (tag adj nam$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:47
S13 4	2	(default adj label) and (tag adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:48
S13 5	2297	(provid$4 creat$4 generat$4)near10 (multiple plurality many) near10 (template$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:55
S13 6	1091	(creat$4 generat$4) near5 (multiple plurality many) near5 (template$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:51
S13 7	184	S136 and (master common global universal main top) near3 (template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:52
S13 8	3	S137 and XML and WML and HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:52

S139	72	S135 and ((master) near4 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S140	1351	((master) near4 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:00
S141	1137	((master) near2 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S142	927	((master) adj2 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S143	750	((master) adj1 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S144	0	(generat$5 creat$5 produc$5) near5 (subtemplate) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S145	12	(generat$5 creat$5 produc$5) near5 (subtemplate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S146	485	((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:48
S147	466	(Hillis.inv.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:54
S148	0	(Hillis.inv.) and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:44
S149	4	(Hillis.inv.) and (template (style adj sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:45
S150	4	(Hillis.inv.) and (template (style adj sheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:45

S151	2	(Hillis.inv.) and (XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:47
S152	0	(Hillis.inv.) AND ("715"/$.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:55
S153	750	((master) adj (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:00
S154	2	((master) adj (template (style adj sheet))) and xml and html and wml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:00
S155	0	("09932656") and (fitzsimons)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:48
S156	1	(09/932656) and (fitzsimons)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:48
S157	15	(name-value near3 pair) near3 (XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:08
S158	0	(master) near2 (template) and (convert$5 transform$5 translat$5) near3 (untagged unformatted) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:10
S159	0	(convert$5 transform$5 translat$5) near3 (untagged unformatted) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:10
S160	33	(convert$5 transform$5 translat$5) near3 (XML) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S161	9	"709"/$.ccls. and (convert$5 transform$5 translat$5) near3 (XML) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S162	14	"715"/$.ccls. and (convert$5 transform$5 translat$5) near3 (XML) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S163	0	09/682655 and SMRZLIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:08

S16 4	0	09/682655 and SMRZLIC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:18
S16 5	23	(covert$5 transform$5) near5 (XML) near5 (WML and HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:22
S16 6	12	("6012098" | "6125391" | "6154738" | "6263332" | "6301471" | "6317783" | "6334126" | "6397217" | "6397259" | "6401132" | "6477549" | "6480860").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:45
S16 7	1	(master universal) near3 (template) near5 (device) same (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:49
S16 8	4	(master universal) near3 (template) near5 (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:50
S16 9	185	(master universal) near3 (template) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:50
S17 0	21	(master universal) near3 (template) same (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:53
S17 1	6	(master) adj(template) same (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 13:12
S17 2	0	(master) adj(template) same (specific) near5 (service) near6 (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:54
S17 3	0	(master) adj (template) same (select$5) near5 (service) near6 (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:06
S17 4	2	"6785704".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:06